

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 1 | BRS | L1 | 1 | (swaminathan near2 sivaprasath).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:36 |
| 2 | BRS | L2 | 0 | ("71114066").URPN. | USPAT | 2007/09/24 09:37 |
| 3 | BRS | L3 | 6 | ("6317798").URPN. | USPAT | 2007/09/24 09:39 |
| 4 | BRS | L4 | 2 | (1 2 3) and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:39 |
| 5 | IS&R | L5 | 1 | ("71114066").PN. | USPAT | 2007/09/24 09:44 |
| 6 | BRS | L6 | 29 | ((console with redirection) and (configuring configure configured configuration) and (compatible compatibility compatibly incompatible incompatibility incompatibly) and (UART non-UART)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:45 |
| 7 | BRS | L7 | 0 | ((console with redirection) with (configuring configure configured configuration)) and ((valid validate validating validated validation) with (UART non-UART)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:45 |
| 8 | BRS | L8 | 0 | ((headless) with (configuring configure configured configuration)) and ((valid validate validating validated validation) with (UART non-UART)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:46 |
| 9 | BRS | L9 | 5 | ((headless) with (configuring configure configured configuration)) and ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (UART non-UART)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:46 |
| 10 | BRS | L10 | 3 | ((console with redirection) with (configuring configure configured configuration)) and ((console with redirection) with (enable enabling enabled enablement disable disabling disablement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:46 |
| 11 | BRS | L11 | 1 | ((console with redirection) with (configuring configure configured configuration)) and ((console with redirection) with (connected connecting connection disconnect disconnecting disconnecting)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:47 |
| 12 | BRS | L12 | 19 | ((console with redirection) with (configuring configure configured configuration)) and ((port channel) with (connect connected connecting connection disconnect disconnecting disconnecting)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:47 |

10/795, 845

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 13 | BRS | L13 | 0 | ((headless) with (configuring configure configured configuration)) and ((console with redirection) with (enable enabling enabled enablement disable disabled disabling disablement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:48 |
| 14 | BRS | L14 | 12 | ((headless) with (configuring configure configured configuration)) and ((headless) with (enable enabling enabled enablement disable disabled disabling disablement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:48 |
| 15 | BRS | L15 | 0 | ((console with redirection) with (configuring configure configured configuration)) and ((headless) with (enable enabling enabled enablement disable disabled disabling disablement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:48 |
| 16 | BRS | L16 | 0 | ((headless) with (configuring configure configured configuration)) and ((console with redirection) with (connect connected connecting connection disconnect disconnected disconnecting disconnection)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:49 |
| 17 | BRS | L17 | 0 | ((console with redirection)) with (configuring configure configured configuration)) and ((headless) with (connect connected connecting connection disconnect disconnected disconnecting disconnection)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:49 |
| 18 | BRS | L18 | 35 | ((headless) with (configuring configure configured configuration)) and ((headless) with (connect connected connecting connection disconnect disconnected disconnecting disconnection)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:49 |
| 19 | BRS | L19 | 0 | ((headless) with (configuring configure configured configuration)) and ((port channel) with (disconnect disconnected disconnecting disconnection)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:49 |
| 20 | BRS | L20 | 103 | ((headless) with (configuring configure configured configuration)) and ((port channel) with (connect connected connecting connection disconnect disconnected disconnecting disconnection)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:49 |
| 21 | BRS | L21 | 5 | ((configuring configure configured configuration) and ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (enable enabled enabling enablement disable disabled disabling disablement disconnect disconnected disconnecting disconnection) with (UART non-UART)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:50 |

| | | | | | | |
|----|-----|-----|---|--|--|---------------------|
| 22 | BRS | L22 | 0 | (detect detecting dectected detection) with (incompatible incompatibility incompatibly) with (UART non-UART) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:51 |
|----|-----|-----|---|--|--|---------------------|

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|-------|---|--|---------------------|
| 23 | BRS | L23 | 18 | ((detect detecting dectected detection) with (incompatible incompatibility incompatibly)) same (disable disabled disabling disablement disconnect disconnection disconnected disconnecting) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 09:51 |
| 24 | BRS | L24 | 8 | (6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23) and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:01 |
| 25 | BRS | L25 | 21 | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:00 |
| 26 | BRS | L26 | 2 | 25 and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:01 |
| 27 | BRS | L27 | 127 | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel)) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:04 |
| 28 | BRS | L28 | 108 | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:04 |
| 29 | IS&R | L29 | 4759 | (713/1,2,100).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:04 |
| 30 | IS&R | L30 | 4806 | (710/8,10,15,16,18,19,104,106).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:04 |
| 31 | IS&R | L31 | 21635 | (709/201,203,217-222).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:04 |
| 32 | IS&R | L32 | 1556 | (703/23-25,27).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:04 |
| 33 | IS&R | L33 | 5047 | (375/219-222).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:04 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|-------|---|--|---------------------|
| 34 | IS&R | L34 | 1919 | (455/557).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:04 |
| 35 | IS&R | L35 | 1015 | (370/278,282).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:04 |
| 36 | BRS | L36 | 39059 | L29 L30 L31 L32 L33 L34 L35 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:04 |
| 37 | BRS | L37 | 14 | (L27 L28) and L36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:04 |
| 38 | BRS | L39 | 0 | L37 and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:05 |
| 39 | BRS | L40 | 20 | L28 and (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:06 |
| 40 | BRS | L41 | 2 | L40 and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:07 |
| 41 | BRS | L42 | 1682 | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) and (error crash crashing crashed fail failed failing failure) and (configure configuration configured configuring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:08 |
| 42 | BRS | L43 | 174 | L36 and L42 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:08 |
| 43 | BRS | L44 | 4 | L43 and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:08 |
| 44 | BRS | L45 | 3578 | (compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:13 |
| 45 | BRS | L46 | 266 | L36 and L45 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:13 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 46 | BRS | L47 | 7 | L46 and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:13 |
| 47 | BRS | L48 | 5 | ("6560660").URPN. | USPAT | 2007/09/24 10:15 |
| 48 | BRS | L49 | 0 | L48 and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:15 |
| 49 | BRS | L50 | 170 | ((compatible compatibility compatibly) with (incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly) with (port channel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:16 |
| 50 | BRS | L51 | 8 | L50 and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:17 |
| 51 | BRS | L52 | 7 | non-UART and (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:19 |
| 52 | BRS | L53 | 0 | L52 and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:19 |
| 53 | BRS | L54 | 0 | non-UART with (mouse keyboard loopback) with connection | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:19 |
| 54 | BRS | L55 | 0 | (non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART with (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:20 |
| 55 | BRS | L56 | 1 | (non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART same (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:21 |
| 56 | BRS | L57 | 51 | (non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:21 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|--|---------------------|
| 57 | BRS | L58 | 51 | (non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:21 |
| 58 | BRS | L59 | 6 | L58 and (UART with (register buffer (line near2 status) DTR)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:21 |
| 59 | BRS | L60 | 89 | (non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:21 |
| 60 | BRS | L61 | 2 | (L56 L57 L58 L59 L60) and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:21 |
| 61 | BRS | L62 | 17 | non-UART | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:22 |
| 62 | BRS | L63 | 1706 | (UART with (register buffer (line near2 status) DTR)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:22 |
| 63 | BRS | L64 | 1370 | (UART with (register buffer (line near2 status) DTR)) and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly non-compliant ("not" near5 (complied complying comply configured configuring configuration configure)) improper) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:22 |
| 64 | BRS | L65 | 43 | (L62 L63 L64) and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:28 |
| 65 | BRS | L66 | 10 | 65 and @ad<"20040309" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:35 |
| 66 | BRS | L67 | 33 | 65 not 66 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:35 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|--|---------------------|
| 67 | BRS | L68 | 3 | (UART with (register buffer (line near2 status) DTR)) with (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:47 |
| 68 | BRS | L69 | 39 | (modem with (register buffer (line near2 status) DTR)) with (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:47 |
| 69 | BRS | L70 | 2 | (L68 L69) and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:47 |
| 70 | BRS | L71 | 75 | ((incompatible incompatibility incompatibly non-compatible non-compatibility non-compliant "not" near5 (complied complying comply))) with (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:49 |
| 71 | BRS | L72 | 4 | L71 and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:49 |
| 72 | BRS | L73 | 2 | (port near3 (sharing share shared)) with (incompatible incompatibility incompatibly non-compatible non-compatibility non-compliantly non-compliant "not" near5 (complied complying comply))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:51 |
| 73 | BRS | L74 | 5 | (port near3 (sharing share shared)) same (incompatible incompatibility incompatibly non-compatible non-compatibility non-compliantly non-compliant "not" near5 (complied complying comply))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:51 |
| 74 | BRS | L75 | 37 | (UART with (register buffer (line near2 status) DTR)) same (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:51 |
| 75 | BRS | L76 | 175 | ((incompatible incompatibility incompatibly non-compatible non-compatibility non-compliant "not" near5 (complied complying comply))) same (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:51 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 76 | BRS | L77 | 15 | (L73 L74 L75 L76) and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:51 |
| 77 | BRS | L78 | 2 | 77 and @ad<"20040309" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:53 |
| 78 | BRS | L79 | 13 | 77 not 78 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:53 |
| 79 | BRS | L80 | 3578 | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:55 |
| 80 | BRS | L81 | 1682 | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) and (error crash crashing crashed fail failed failing failure) and (configure configuration configured configuring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:55 |
| 81 | BRS | L82 | 266 | (L80 L81) and L36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:55 |
| 82 | BRS | L83 | 7 | L82 and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:56 |
| 83 | BRS | L84 | 108 | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:58 |
| 84 | BRS | L85 | 21 | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:58 |
| 85 | BRS | L86 | 127 | ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel)) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 10:58 |

| | | | | | | |
|----|-----|-----|----|----------------------------------|--|---------------------|
| 86 | BRS | L87 | 14 | (L84 L85 L86) and @pd>"20070418" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 11:00 |
|----|-----|-----|----|----------------------------------|--|---------------------|

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|---------------------------|---------------------|
| 87 | IS&R | L88 | 1 | ("6560660").PN. | USPAT | 2007/09/24 11:00 |
| 88 | BRS | L89 | 5 | ("6560660").URPN. | USPAT | 2007/09/24 11:00 |
| 89 | BRS | L90 | 6 | ("20020016868" "6240472" "6279054" "6493771" "6523073" "6560660").PN. | US-PGPUB; USPAT; USOCR | 2007/09/24 11:03 |
| 90 | BRS | L91 | 7 | ("20030154233" "5790895" "6073183" "6134608" "6279054" "6298370" "6560660").PN. | US-PGPUB; USPAT; USOCR | 2007/09/24 11:04 |
| 91 | BRS | L92 | 0 | ("6886163").URPN. | USPAT | 2007/09/24 11:05 |
| 92 | BRS | L93 | 1 | ("6779047").URPN. | USPAT | 2007/09/24 11:05 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|---|--|---------------------|
| 1 | BRS | L1 | 1037 | (incompatible compatible incompatibility compatibility) same (during near3 (POST BIOS initialization initialize initialized initializing configuration configure configuring configured)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 11:20 |
| 2 | BRS | L2 | 15 | (remote with (console redirection)) and 1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 11:12 |
| 3 | BRS | L3 | 127 | (incompatible incompatibility) same (during near3 (POST BIOS initialization initialize initialized initializing configuration configure configuring configured)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 11:21 |
| 4 | BRS | L4 | 124 | 3 not 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 11:21 |
| 5 | BRS | L6 | 0 | 5 and UART | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 11:21 |
| 6 | BRS | L5 | 93 | 4 and @ad<"20040309" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 11:50 |
| 7 | BRS | L7 | 31 | 4 not 5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/09/24 12:06 |